




EST : 2019

CARBIFORCE


AFFORDABLE TOOLIN

www.carbiforce.com




Specification/ Item	[D1] M	[D1MAX]	[L4/D1]	[L]	[L1]	[L5]	[D]	[LS]	Wrench	Screw
SEM125R1.5WD16M	12.5	13.6	1.5	92	21	2.5	16	48	T5X160	M2.5/M2.5X13
SEM136R1.5WD16M	13.51	14.6	1.5	94	23	2.7	16	48	T6X160	M3/M2.5X14
SEM146R1.5WD20M	14.51	16	1.5	103	24	2.9	20	50	T6X160	M3/M2.5X14
SEM160R1.5WD20M	16	18.1	1.5	113	27	3.2	20	50	H1.5X185	M3/M2.5X16
SEM181R1.5WD25M	18.01	20	1.5	123	30	3.6	25	56	H1.5X185	M3/M2.5X16
SEM200R1.5WD25M	20	22.1	1.5	125	33	4	25	56	H2X210	M4/M3X19
SEM221R1.5WD25M	22.01	24.1	1.5	127	36	4.4	25	56	H2.5X240	M5/M4X23
SEM241R1.5WD32M	24.01	26.1	1.5	137	39	4.7	32	60	H2.5X240	M5/M4X23
SEM261R1.5WD32M	26.01	28.1	1.5	140	42	5.1	32	60	H2.5X240	M5/M4X23
SEM281R1.5WD32M	28.01	30.1	1.5	142	45	5.5	32	60	H3X265	M6/M5X28
SEM301R1.5WD32M	30.01	32.1	1.5	146	48	5.8	32	60	H3X265	M6/M5X28
SEM321R1.5WD50M	32.01	36.1	1.5	168	54	6.5	32	60	H3X265	M6/M6X32
SEM361R1.5WD50M	36.01	40	1.5	172	60	7.3	32	60	H3X265	M6/M6X32







Specification/ Item	[D1] M	[D1MAX]	[L4/D1]	[L]	[L1]	[L5]	[D]	[LS]	Wrench	Screw
SEM125R3WD16M	12.5	13	3	111	39	2.4	16	48	T5X160	M2.5/M2.5X13
SEM130R3WD16M	13	13.5	3	111	39	2.5	16	48	T5X160	M2.5/M2.5X13
SEM136R3WD16M	13.51	14	3	114	42	2.6	16	48	T6X160	M3/M2.5X14
SEM140R3WD16M	14	14.5	3	114	42	2.6	16	48	T6X160	M3/M2.5X14
SEM146R3WD20M	14.51	15	3	125	45	2.7	20	50	T6X160	M3/M2.5X14
SEM150R3WD20M	15	15.5	3	125	45	2.8	20	50	T6X160	M3/M2.5X14
SEM155R3WD20M	15.5	16	3	125	45	2.9	20	50	T6X160	M3/M2.5X14
SEM160R3WD20M	16	16.5	3	128	48	3	20	50	H1.5X185	M3.5/M2.5X16
SEM165R3WD20M	16.5	17	3	130	49	3	20	50	H1.5X185	M3.5/M2.5X16
SEM170R3WD20M	17	17.5	3	131	51	3.3	20	50	H1.5X185	M3.5/M2.5X16
SEM175R3WD20M	17.5	18	3	133	52	3.3	20	50	H1.5X185	M3.5/M2.5X16
SEM180R3WD20M	18	18.5	3	135	54	3.3	20	50	H1.5X185	M3.5/M2.5X16
SEM185R3WD25M	18.5	19	3	144	55	3.6	25	56	H1.5X185	M3.5/M2.5X16
SEM190R3WD25M	19	19.5	3	149	57	3.6	25	56	H1.5X185	M3.5/M2.5X16
SEM195R3WD25M	19.5	20	3	150	58	3.6	25	56	H1.5X185	M3.5/M2.5X16
SEM200R3WD25M	20	20.5	3	152	60	3.8	25	56	H2X210	M4/M3X19
SEM205R3WD25M	20.5	21	3	154	62	4	25	56	H2X210	M4/M3X19
SEM210R3WD25M	21	21.5	3	156	63	4	25	56	H2X210	M4/M3X19
SEM215R3WD25M	21.5	22	3	158	65	4	25	56	H2X210	M4/M3X19
SEM221R3WD25M	22.01	22.5	3	159	66	4	25	56	H2X210	M4/M3X19
SEM225R3WD25M	22.5	23	3	160	68	4.4	25	56	H2X210	M4/M3X19
SEM230R3WD25M	23	23.5	3	162	69	4.4	25	56	H2X210	M4/M3X19
SEM235R3WD25M	23.5	24	3	163	71	4.4	25	56	H2X210	M4/M3X19
SEM240R3WD25M	24	24	3	165	72	4.4	25	56	H2X210	M4/M3X19
SEM245R3WD32M	24.5	25	3	175	74	4.7	32	60	H2.5X240	M5/M4X23
SEM250R3WD32M	25	25.5	3	179	75	4.7	32	60	H2.5X240	M5/M4X23
SEM255R3WD32M	25.5	26	3	180	77	4.7	32	60	H2.5X240	M5/M4X23
SEM260R3WD32M	26	26.5	3	182	78	4.7	32	60	H2.5X240	M5/M4X23
SEM265R3WD32M	26.5	27	3	184	80	5.1	32	60	H2.5X240	M5/M4X23
SEM270R3WD32M	27	27.5	3	185	81	5.1	32	60	H2.5X240	M5/M4X23
SEM275R3WD32M	27.5	28	3	187	83	5.1	32	60	H2.5X240	M5/M4X23
SEM280R3WD32M	28	28.5	3	188	84	5.1	32	60	H2.5X240	M5/M4X23
SEM285R3WD32M	28.5	29	3	190	86	5.5	32	60	M3X265	M6/M5X28
SEM290R3WD32M	29	29.5	3	192	87	5.5	32	60	M3X265	M6/M5X28
SEM295R3WD32M	29.5	30	3	194	89	5.5	32	60	M3X265	M6/M5X28
SEM300R3WD32M	30	30.5	3	195	90	5.5	32	60	M3X265	M6/M5X28
SEM305R3WD32M	30.5	31	3	197	92	5.8	32	60	M3X265	M6/M5X28
SEM310R3WD32M	31	31.5	3	198	93	5.8	32	60	M3X265	M6/M5X28
SEM315R3WD32M	31.5	32	3	200	96	5.8	32	60	M3X265	M6/M5X28
SEM321R3WD32M	32.01	33	3	220	97	6	32	60	M3X265	M6/M6X32
SEM330R3WD40M	33	34	3	223	99	6.2	40	68	M3X265	M6/M6X32
SEM340R3WD40M	34	35	3	226	102	6.4	40	68	M3X265	M6/M6X32
SEM350R3WD40M	35	36	3	229	105	6.6	40	68	M3X265	M6/M6X32
SEM360R3WD40M	36	37	3	232	108	6.6	40	68	M3X265	M6/M6X32
SEM370R3WD40M	37	38	3	236	111	6.9	40	68	M3X265	M6/M6X32
SEM380R3WD40M	38	39	3	239	114	7.1	40	68	M3X265	M6/M6X32
SEM390R3WD40M	39	40	3	242	117	7.3	40	68	M3X265	M6/M6X32



Specification/ Item	[D1] M	[D1MAX]	[L4/D1]	[L]	[L1]	[L5]	[D]	[LS]	Wrench	Screw
SEM125R5WN16M	12.5	13	5	137	65	2.4	16	48	T5X160	M2.5/M2.5X13
SEM130R5WN16M	13	13.5	5	137	65	2.5	16	48	T5X160	M2.5/M2.5X13
SEM136R5WN16M	13.51	14	5	142	70	2.6	16	48	T5X160	M2.5/M2.5X13
SEM140R5WN16M	14	14.5	5	142	70	2.6	16	48	T6X160	M3/M2.5X14
SEM146R5WN20M	14.51	15	5	155	75	2.7	20	50	T6X160	M3/M2.5X14
SEM150R5WN20M	15	15.5	5	155	75	2.8	20	50	T6X160	M3/M2.5X14
SEM155R5WN20M	15.5	16	5	155	75	2.9	20	50	T6X160	M3/M2.5X14
SEM160R5WN20M	16	16.5	5	160	80	3	20	50	H1.5X185	M3.5/M2.5X16
SEM165R5WN20M	16.5	17	5	163	83	3	20	50	H1.5X185	M3.5/M2.5X16
SEM170R5WN20M	17	17.5	5	165	85	3.3	20	50	H1.5X185	M3.5/M2.5X16
SEM175R5WN20M	17.5	18	5	168	88	3.3	20	50	H1.5X185	M3.5/M2.5X16
SEW181R5WN25M	18.01	18.5	5	171	90	3.3	20	50	H1.5X185	M3.5/M2.5X16
SEM185R5WN25W	18.5	19	5	182	91	3.6	25	56	H1.5X185	M3.5/M2.5X16
SEM190R5WN25M	19	19.5	5	187	95	3.6	25	56	H1.5X185	M3.5/M2.5X16
SEM195R5WN25M	19.5	20	5	190	98	3.6	25	56	H1.5X185	M3.5/M2.5X16
SEM200R5WN25M	20	20.5	5	192	100	3.8	25	56	H2X210	M4/M3X19
SEM205R5WN25M	20.5	21	5	195	103	3.8	25	56	H2X210	M4/M3X19
SEM210R5WN25M	21	21.5	5	198	105	4	25	56	H2X210	M4/M3X19
SEM215R5WN25M	21.5	22	5	201	108	4	25	56	H2X210	M4/M3X19
SEM221R5WN25M	22.01	22.5	5	203	111	4.2	25	56	H2X210	M4/M3X19
SEM225R5WN25M	22.5	23	5	205	113	4.4	25	56	H2X210	M4/M3X19
SEM230R5WN25M	23	23.5	5	208	115	4.4	25	56	H2X210	M4/M3X19
SEM235R5WN25M	23.5	24	5	213	120	4.4	25	56	H2X210	M4/M3X19
SEM241R5WN32M	24.01	24.5	5	224	121	4.6	32	60	H2.5X240	M5/M4X23
SEM245R5WN32M	24.5	25	5	227	123	4.7	32	60	H2.5X240	M5/M4X23
SEM250R5WN32M	25	25.5	5	229	125	4.7	32	60	H2.5X240	M5/M4X23
SEM255R5WN32M	25.5	26	5	232	128	4.7	32	60	H2.5X240	M5/M4X23
SEM261R5WN32M	26.01	26.5	5	234	131	4.9	32	60	H2.5X240	M5/M4X23
SEM265R5WN32M	26.5	27	5	236	133	4.9	32	60	H2.5X240	M5/M4X23
SEM270R5WN32M	27	27.5	5	239	135	5.1	32	60	H2.5X240	M5/M4X23
SEM275R5WN32M	27.5	28	5	243	138	5.1	32	60	H2.5X240	M5/M4X23
SEM281R5WN32M	28.016	28.5	5	245	141	5.3	32	60	M3X265	M6/M5X28
SEM285R5WN32M	28.5	29	5	248	143	5.3	32	60	M3X265	M6/M5X28
SEM290R5WN32M	29	29.5	5	250	145	5.5	32	60	M3X265	M6/M5X28
SEM295R5WN32M	29.5	30	5	253	148	5.5	32	60	M3X265	M6/M5X28
SEM301R5WN32M	30.01	30.5	5	256	151	5.6	32	60	M3X265	M6/M5X28
SEM305R5WN32M	30.5	31	5	258	153	6.6	32	60	M3X265	M6/M5X28
SEM310R5WN32M	31	31.5	5	260	155	5.8	32	60	M3X265	M6/M5X28
SEM315R5WN32M	31.5	32	5	266	160	5.8	32	60	M3X265	M6/M5X28
SEM321R5WD40M	32.01	33	5	284	161	6	40	68	M3X330	M6/M6X32
SEM330R5WD40M	33	34	5	289	165	6.2	40	68	M3X330	M6/M6X32
SEM340R5WD40M	34	35	5	294	170	6.4	40	68	M3X330	M6/M6X32
SEM350R5WD40M	35	36	5	299	175	6.6	40	68	M3X330	M6/M6X32
SEM361R5WD40M	36.01	37	5	305	181	6.7	40	68	M3X330	M6/M6X32
SEM370R5WD40M	37	38	5	310	185	6.9	40	68	M3X330	M6/M6X32
SEM380R5WD40M	38	39	5	315	190	7.1	40	68	M3X330	M6/M6X32
SEM390R5WD40M	39	40	5	320	195	7.3	40	68	M3X330	M6/M6X32




Specification/ Item	[D1] M	[D1MAX]	[L4/D1]	[L]	[L1]	[L5]	[D]	[LS]	Wrench	Screw
SEM125R8WN16M	12.5	13	8	176	104	2.4	16	48	T5X190	M2.5/M2.5X13
SEM130R8WN16M	13	13.5	8	176	104	2.5	16	48	T5X190	M2.5/M2.5X13
SEM136R8WN16M	13.51	14	8	184	112	2.6	16	48	T5X190	M2.5/M2.5X13
SEM140R8WN16M	14	14.5	8	184	112	2.6	16	48	T6X190	M3/M2.5X14
SEM146R8WN20M	14.51	15	8	200	120	2.7	20	50	T6X190	M3/M2.5X14
SEM150R8WN20M	15	15.5	8	200	120	2.8	20	50	T6X190	M3/M2.5X14
SEM155R8WN20M	15.5	16	8	200	120	2.9	20	50	T6X190	M3/M2.5X14
SEM160R8WN20M	16	16.5	8	208	128	3	20	50	H1.5X185	M3.5/M2.5X16
SEM165R8WN20M	16.5	17	8	212	132	3	20	50	H1.5X225	M3.5/M2.5X16
SEM170R8WN20M	17	17.5	8	216	136	3.3	20	50	H1.5X225	M3.5/M2.5X16
SEM175R8WN20M	17.5	18	8	225	144	3.3	20	50	H1.5X225	M3.5/M2.5X16
SEW181R8WN25M	18.01	18.5	8	236	145	3.3	25	56	H1.5X225	M3.5/M2.5X16
SEM185R8WN25W	18.5	19	8	240	148	3.6	25	56	H1.5X225	M3.5/M2.5X16
SEM190R8WN25M	19	19.5	8	244	152	3.6	25	56	H1.5X225	M3.5/M2.5X16
SEM195R8WN25M	19.5	20	8	248	157	3.6	25	56	H1.5X225	M3.5/M2.5X16
SEM200R8WN25M	20	20.5	8	252	160	3.8	25	56	H2X260	M4/M3X19
SEM205R8WN25M	20.5	21	8	257	163	3.8	25	56	H2X260	M4/M3X19
SEM210R8WN25M	21	21.5	8	261	168	4	25	56	H2X260	M4/M3X19
SEM215R8WN25M	21.5	22	8	265	172	4	25	56	H2X260	M4/M3X19
SEM221R8WN25M	22.01	22.5	8	270	177	4.2	25	56	H2X260	M4/M3X19
SEM225R8WN25M	22.5	23	8	274	181	4.4	25	56	H2X260	M4/M3X19
SEM230R8WN25M	23	23.5	8	277	184	4.4	25	56	H2X260	M4/M3X19
SEM235R8WN25M	23.5	24	8	285	192	4.4	25	56	H2X260	M4/M3X19
SEM241R8WN32M	24.01	24.5	8	296	193	4.6	32	60	H2.5X295	M5/M4X23
SEM245R8WN32M	24.5	25	8	300	197	4.7	32	60	H2.5X295	M5/M4X23
SEM250R8WN32M	25	25.5	8	304	200	4.7	32	60	H2.5X295	M5/M4X23
SEM255R8WN32M	25.5	26	8	309	205	4.7	32	60	H2.5X295	M5/M4X23
SEM261R8WN32M	26.01	26.5	8	313	209	4.9	32	60	H2.5X295	M5/M4X23
SEM265R8WN32M	26.5	27	8	317	212	4.9	32	60	H2.5X295	M5/M4X23
SEM270R8WN32M	27	27.5	8	320	216	5.1	32	60	H2.5X295	M5/M4X23
SEM275R8WN32M	27.5	28	8	324	220	5.1	32	60	H2.5X295	M5/M4X23
SEM281R8WN32M	28.016	28.5	8	329	225	5.3	32	60	M3X330	M6/M5X28
SEM285R8WN32M	28.5	29	8	333	228	5.3	32	60	M3X330	M6/M5X28
SEM290R8WN32M	29	29.5	8	337	232	5.5	32	60	M3X330	M6/M5X28
SEM295R8WN32M	29.5	30	8	341	237	5.5	32	60	M3X330	M6/M5X28
SEM301R8WN32M	30.01	30.5	8	346	241	5.6	32	60	M3X330	M6/M5X28
SEM305R8WN32M	30.5	31	8	350	245	5.6	32	60	M3X330	M6/M5X28
SEM310R8WN32M	31	31.5	8	353	248	5.8	32	60	M3X330	M6/M5X28
SEM315R8WN32M	31.5	32	8	362	256	5.8	32	60	M3X330	M6/M5X28
SEM321R8WD40M	32.01	33	8	380	257	6	40	68	M3X440	M6/M6X32
SEM330R8WD40M	33	34	8	388	264	6.2	40	68	M3X440	M6/M6X32
SEM340R8WD40M	34	35	8	396	272	6.4	40	68	M3X440	M6/M6X32
SEM350R8WD40M	35	36	8	404	280	6.6	40	68	M3X440	M6/M6X32
SEM361R8WD40M	36.01	37	8	413	289	6.7	40	68	M3X440	M6/M6X32
SEM370R8WD40M	37	38	8	421	296	6.9	40	68	M3X440	M6/M6X32
SEM380R8WD40M	38	39	8	429	304	7.1	40	68	M3X440	M6/M6X32
SEM390R8WD40M	39	40	8	437	312	7.3	40	68	M3X440	M6/M6X32



Specification/ Item	[D1] M	[D1MAX]	[L4/D1]	[L]	[L1]	[L5]	[D]	[LS]	Wrench	Screw
SEM160R1OWN20M	16	16.5	10	240	160	3	20	50	H1.5X300	M3.5/M2.5X16
SEM165R1OWN20M	16.5	17	10	245	165	3	20	50	H1.5X300	M3.5/M2.5X16
SEM170R1OWN20M	17	17.5	10	250	170	3.3	20	50	H1.5X300	M3.5/M2.5X16
SEM175R1OWN20M	17.5	18	10	261	175	3.3	20	50	H1.5X300	M3.5/M2.5X16
SEW181R1OWN25M	18.01	18.5	10	273	181	3.5	20	50	H1.5X300	M3.5/M2.5X16
SEM185R1OWN25W	18.5	19	10	278	185	3.5	25	56	H1.5X300	M3.5/M2.5X16
SEM190R1OWN25M	19	19.5	10	282	190	3.6	25	56	H1.5X300	M3.5/M2.5X16
SEM195R1OWN25M	19.5	20	10	288	195	3.6	25	56	H1.5X300	M3.5/M2.5X16
SEM200R1OWN25M	20	20.5	10	292	200	3.8	25	56	H2X345	M4/M3X19
SEM205R1OWN25M	20.5	21	10	298	205	3.8	25	56	H2X345	M4/M3X19
SEM210R1OWN25M	21	21.5	10	303	210	4	25	56	H2X345	M4/M3X19
SEM215R1OWN25M	21.5	22	10	308	215	4	25	56	H2X345	M4/M3X19
SEM221R1OWN25M	22.01	22.5	10	313	221	4.2	25	56	H2X345	M4/M3X19
SEM225R1OWN25M	22.5	23	10	318	225	4.2	25	56	H2X345	M4/M3X19
SEM230R1OWN25M	23	23.5	10	323	230	4.4	25	56	H2X345	M4/M3X19
SEM235R1OWN25M	23.5	24	10	333	240	4.4	25	56	H2X345	M4/M3X19
SEM241R1OWN32M	24.01	24.5	10	344	241	4.6	32	60	H2.5X395	M5/M4X23
SEM245R1OWN32M	24.5	25	10	344	241	4.6	32	60	H2.5X395	M5/M4X23
SEM250R1OWN32M	25	25.5	10	354	250	4.7	32	60	H2.5X395	M5/M4X23
SEM255R1OWN32M	25.5	26	10	360	255	4.7	32	60	H2.5X395	M5/M4X23
SEM261R1OWN32M	26.01	26.5	10	365	261	4.9	32	60	H2.5X395	M5/M4X23
SEM265R1OWN32M	26.5	27	10	370	266	4.9	32	60	H2.5X395	M5/M4X23
SEM270R1OWN32M	27	27.5	10	374	270	5.1	32	60	H2.5X395	M5/M4X23
SEM275R1OWN32M	27.5	28	10	380	275	5.1	32	60	H2.5X395	M5/M4X23
SEM281R1OWN32M	28.016	28.5	10	385	281	5.3	32	60	M3X440	M6/M5X28
SEM285R1OWN32M	28.5	29	10	390	286	5.3	32	60	M3X440	M6/M5X28
SEM290R1OWN32M	29	29.5	10	395	290	5.5	32	60	M3X440	M6/M5X28
SEM295R1OWN32M	29.5	30	10	400	295	5.5	32	60	M3X440	M6/M5X28
SEM301R1OWN32M	30.01	30.5	10	406	301	5.6	32	60	M3X440	M6/M5X28
SEM305R1OWN32M	30.5	31	10	410	305	5.6	32	60	M3X440	M6/M5X28
SEM310R1OWN32M	31	31.5	10	415	310	5.8	32	60	M3X440	M6/M5X28
SEM315R1OWN32M	31.5	32	10	420	315	5.8	32	60	M3X440	M6/M5X28





Specification/ Item	[D1]	[L5]	[SSC]
SEM1250PCM	12.5	0.4	C
SEM1300PCM	13.5	1.38	C
SEM1350PCM	13.5	1.44	C
SEM1400PCM	14	1.44	B
SEM1410PCM	14.1	1.45	B
SEM1450PCM	14.5	1.5	B
SEM1460PCM	14.6	1.55	A
SEM1480PCM	14.8	1.58	A
SEM1500PCM	15	1.6	A
SEM1550PCM	15.5	1.66	A
SEM1560PCM	15.6	1.68	A
SEM1580PCM	15.8	1.7	A
SEM1600PCM	16	1.69	1
SEM1620PCM	16.2	1.72	1
SEM1650PCM	16.5	1.76	1
SEM1700PCM	17	1.82	1
SEM1750PCM	17.5	1.88	1
SEM1800PCM	18	1.95	1
SEM1850PCM	18.5	2.08	2
SEM1900PCM	19	2.14	2
SEM1950PCM	19.5	2.21	2
SEM2000PCM	20	2.28	3
SEM2050PCM	20.5	2.3	3
SEM2100PCM	21	2.36	3
SEM2150PCM	21.5	2.46	3
SEM2200PCM	22	2.49	3

Specification/ Item	[D1]	[L5]	[SSC]
SEM2250PCM	22.5	2.52	4
SEM2300PCM	23	2.58	4
SEM2350PCM	23.5	2.65	4
SEM2400PCM	24.5	2.71	4
SEM2450PCM	24.5	2.84	5
SEM2500PCM	25.5	2.9	5
SEM2550PCM	25.5	2.97	5
SEM2600PCM	26.5	3.03	5
SEM2650PCM	26.5	3.06	6
SEM2700PCM	27	3.12	6
SEM2800PCM	28	3.25	6
SEM2850PCM	28.5	3.28	7
SEM2900PCM	29	3.34	7
SEM2950PCM	29.5	3.41	7
SEM3000PCM	30	3.47	7
SEM3050PCM	30.5	3.6	8
SEM3100PCM	31	3.66	8
SEM3200PCM	32	3.79	8
SEM3300PCM	33	3.92	9
SEM3400PCM	34	4.04	9
SEM3500PCM	35	4.17	9
SEM3600PCM	36	4.3	9
SEM3700PCM	37	4.36	10
SEM3800PCM	38	4.48	10
SEM3900PCM	39	4.61	10
SEM4000PCM	40	4.74	10



CARBIFORCE

CARBIFORCE

 3rd Floor, Ali Tower, 80 Gujjar Street,
Mumbai – 400 003

 +91 70215 83452

 sales@carbiforce.com

 www.carbiforce.com

